Sectt. II-27—45,004—14-11-29.

L. S. G. (1937) Department.

Ms SERIES.

G.O. No. 49 PH

DATED 10-1-1937.

[Despatch Abstract.]

Drainage - Bellary Municipality - Preparation - plans and estimates for the Brucepeta scheme - ordered.

****

G.F. 82.

PUBLIC WORKS DEPARTMENT.

In reply, please quote number, date and short title.

Received ..... *Registered* .....

45066

From (Name) J.R.Thurai Singham Esq., A.K.C.,

(Designation) Sanitary Engineer to Government,

Post Box ....., (Station) Triplicane, Madras.

Telegraphic Address Santenger

TARY TO GOVE N

6-NOV 192

To The Secretary to Government,

Local Self Government.

No. 675 G *dated* 4-11- 192 7.

Sir,

Bellary Drainage Investigation.

ENCLOSURES (N)

SPARE COPIES

With reference to G.O. No. 940 P.H. Mis. dated 13-5-1927 a report on the investigation carried out by the Deputy Sanitary Engineer, Central Circle, for a drainage scheme for Bellary is enclosed. The approximate initial and maintenanc cost of the scheme will be Rs 7,31,000/- and Rs 2,500/- respectively.

2 The present disposal of sullage water is mainly by soakage pits, located almost in front of every house, with water mains running close by. This is an unsatisfactory method and in the interests of the public health should be done away with as early as possible. Since the water-supply scheme is in operation, a scientific system of drainage is quite essential. If the Council is unable to find funds for the comprehensive shheme all atonce, the scheme may be executed piece-meal, conjested areas like Cowl bazaar and Brucepet being taken up first and the others in the order of their urgency.

2-11-27

Sanitary Engineer to Government.

Report on the Investigation of Bellary Drainage.-

An investigation for a scheme of partial drainage for portions of Bellary was carried out in the years 1910 and 1916, but further action was suspended pending the execution of the water-supply scheme. On the Council reopening the question in 1926, the further investigation necessary to design a comprehensive scheme of drainage for the town, except Fort and Cantonment areas was ordered in G.O. No. 940 P.H. Mis. dated 13-5-1927. (N)

The investigation was taken up when a supervisor was available for the purpose, and the outdoor work in connection therewith has since been completed. The investigation has disclosed the possibility, by gravitaion, of the disposal of the sewage from the areas to be dealt with ~~xxx~~(viz.) Cowl Bazaar, Brucepet, Satyanarayanapet and Gandhinagar. The general fall of the country is from West to East, with also a slight slope from north to south. There is however a ridge between Satyanarayanapet and Gandhinagar on the north and Cowl Bazaar and Brucepet on the south. This points to the necessity of separate disposal of sewage from these two portions. Owing to the good fall available and the natural drainage channels existing, a system of open drains with intercepting sewers will be best suited for the town. The sullage from the open drains in Cowl Bazaar and Brucepet will, after the discharge of rain-water through storm water overflows into drainage courses, be collected into one or two intercepting sewers. The main intercepting sewer will start from near the junction of the Cowl Bazaar Road and Godown street and cut across the bed of the Naalacheruva to Brucepet. After collecting the sullage from the Brucepet area, the combined sewer will be taken on to a sewage farm of about 30 acres to be located to the south of Gooty Road and just outside the Municipal limits.

As regards Satyanarayanapet and Gandhinagar extentions, the intercepting sewer will be taken along an existing drainage course which runs ~~xxxxx xx~~ roughly parallel to the railway line; and the

the sewage will be disposed on a farm 10 acres in extent to the south of the railway line and about half a mile to the east of the hospital road. Advantage will, as already stated, be taken of the several storm water channels existing, for surplus of storm water at intervals.

Some dumping pits will also be located along the line of the intercepting sewers for the disposal of the night soil.

The population of the area now proposed for inclusion in the drainage scheme is ~~37,000~~ 37,567 as per census of 1921. The water-supply to the town for the same area provides for a prospective population of 50,000 at 10 g/h/d. For purposes of the drainage scheme, the same figure has been adapted. The sewage farms now proposed can be extended suitably when necessary.

The initial and maintenamce cost of the scheme will be roughly as under :-

To instal :-

Open drain	Cowl Bazaar	8 miles	1,06,000	
	Brucepet	18 "	2,40,000	
	Extension (Satyanarayanpet & Ganjhinagar)	3 "	40,000	
Regrading roads and providing drain crossings wherever necessary			20,000	
Removing and refilling the existing soakage pits			10,000	
Intercepting sewers with manholes etc.	$5\frac{1}{2}$ miles		1,15,000	
Junctions of open drains with sewers, storm water overflows etc.			6,000	
Dumping pits			25,000	
40 acres of land for sewage farms at about Rs 250/- an acre			10,000	
Collecting works, laying out sewage farms etc.			15,000	
				5,87,000
Unforeseen works 4%				23,600
Contingencies 5%				29,400
Centage $15\frac{1}{3}$ %				91,000
		Total		7,31,000

To maintain :-

10 drain coolies	@ Rs 12/-	1,440
10 sewer coolies	@ Rs 12/-	1,440
4 maistries	@ Rs 20/-	960
8 sewage farm coolies	@ Rs 12/-	1,152
1 maistry for main sewage farm	@ Rs 25/-	300
1 maistry for subsidiary farm	@ Rs 20/-	240
Repaires to drains etc.		968
	Total	Rs 6,500
Deduct proceeds from the sewage farms, after meeting the expenses		Rs 4,000
	Net charges	Rs 2,500

2.11.29

Sanitary Engineer to Government.

L.S.8(P.W.)

C-1170. 45066, From the S.E No. 675, dt 4-11-29

49/6-11.

Memo 45066-1 D2 PH, dt 8/11/29

Drainage scheme.

Bellary -

A copy of the S.E's letter read above with the report of the Dy. Sany. Engr (Central Circle) referred to therein is communicated to the Bellary Ml. Cl. The Chairman is requested to report at an early date whether the Council is prepared to finance the ~~Can find funds for the~~ Comprehensive scheme all at once and if not whether the Council is willing to carry out the scheme piece-meal as suggested by the S.E.

on the half grant half loan principle

Dpd. by Post / Messenger

Dpd. initials By

Date 8/11/1929

Bmpl. above

Cue 7/x1

To the C.M.C. Bellary with a copy of the ref (duplicate below)

C F. 39.

SECRETARY TO GOVERNMENT
12 DEC. 1929
LOCAL SELF-GOVERNMENT DEPARTMENT

DEPARTMENT. D2

Received ..... 192 . *Registered* 55635/D2 192 .

Subject.

Drainge Scheme - Bellary Town.

ENCLOSURES.
No One
.....
Spare copies .....

Ref ScR No. 327 11-12-29

Station Bellary. *Dated the* 8th December 1929.

From (Name) M.R.Ry. N. Narayana Rao Garu, B.A., B.L.,

(Designation) Chairman, Municipal Council.

To The Secretary to the Government of Madras,

Local Self Government Department.

Madras.

Sir,

Ref:- Government Memorandum No.45066-1-D2 -
Dated 8th November 1929.

- - - -

When myself and other four councillors waited in deputation during May last, on the Hon'ble Second Minister for Public Health at Ooty, we had urged that the detailed plans and estimates for drainage scheme be taken up urgently and the Hon'ble Minister had expressed that unless the Municipal Council undertook to pay for the staff that may be specially appointed for the said purpose of preparation of plans and estimates, it may have to be post-poned for many years as the schemes will be taken up according

13/12

P.T.O.

to their rank in the priority list.

On receipt of the above memorandum I addressed the Sanitary Engineer to inform me what staff would be necessary to take up the said work, and for what period it has to be employed and at what cost. The Sanitary Engineer in his letter No.2415 M dated 19-11-29 (copy enclosed) states that Rs 2,800/- would be required.

My Council in its resolution No.3 dated 7-12-29 has resolved to pay the said amount of Rs 2,800/. I have intimated the Sanitary Engineer that the said sum of Rs 2,800/- was credited into the Treasury on 9-12-29 and requested him to take up the work as early as possible. Unless the detailed plans and estimates are got ready there is no use of approaching the Government for a loan or a grant. Hence I request you to kindly instruct the Sanitary Engineer to take up the said work as urgently as possible.

Narayana Rao
Chairman. M.C.
11/12/29

Copy to the Sanitary Engineer, Madras.

Copy of the letter No.2415 -M dated 19-11-29 from the Sanitary Engineer, Madras to the Chairman, Municipal Council, Bellary.

- - - - - -

Your No.367 dated 12-11-29, the special staff that may be required to draw up the scheme will be as under.

1. Supervisor for 9 months on Rs 166/	Rs 1,494
1 Draftsman on Rs 80/- for 9 months.	Rs 720
2 Tracers for 4 months on Rs 33 p.m.	Rs 264
1 Typist for 2 months @ Rs40/- p.m.	
Travelling allowance, stationary and contingencies.	242
	Rs 2,800.

True Copy

Chairman. M.C.

11/12/29

HD 20/12

9

Yes/M

Cw 35635, from the CRE, Bolton to 327 d 8.12.9

13/20.12

Damage Scheme - Bolton

Ah

Cyth

DMW 20/12

Memo 35635 ID2 PH, 8/5/21

The SE is requested to offer his remarks at a very early date on the letter of the CRE Bolton received above a copy of which has been sent to him by the Chairman:

Yours

for Cyth

Cyth

To the SE



9/1

L. N. P. B. 3000-1-29.
Phone No. 23

No. 420/24.1.30.
Enc.
FROM,



M. R. Ry.

N. Narayana Rao Garu, B.A., B.L.,
Chairman, Municipal Council,
BELLARY.

To The Secretary to Government,
Local Self Government Department,
M a d r a s.

Subject:- Bellary Drainage Scheme - Request to pass early orders on the ----- "Investigation Report".

Sir,

The Sanitary Engineer informs me that no orders have yet been passed on the report on the investigation of the Bellary Drainage Scheme forwarded in his No.675 G. dated 4-11-29.

My Council has deposited Rs.2,800/- to the --- credit of the Sanitary Engineer on 9-12-29 to ---- entertain special staff for the preparation of ---

P.T.O.

detailed plans and estimates as desired by him.

The preparation of the said plans and estimates has not been taken up for want of Government orders on the report of the Scheme.

Hence, I request you to kindly instruct the Sanitary Engineer to appoint a special staff and to take up the said work as urgently as possible. //

GK.

Chairman.

24.1.30

L.S.G.(P.H.) Dept.

From the Sanitary Engineer, No. 675, dated 4-11-1929.

From the C.M.C.,Bellary, No. 327,dated 8-12-1929.

From the C.M.C.,Bellary, No. 42-W., dated 25-1-1930.

SUBJECT:-- Drainage Scheme - Bellary.

Memorandum No. 5335-42/ dated 12.2.1930.

The Bellary Cantonment has been abolished with effect from the 1st April 1930 and Government have decided to amalgamate the area, with effect from that date, with the Bellary Municipality. The drainage scheme proposed for the municipality will therefore have to be reconsidered in the light of this decision. The Cantonment area presumably has a drainage system of its own and the scheme proposed will perhaps need only a few modifications so as to fit it in with that system. The Sanitary Engineer is therefore requested to reconsider his proposals in the matter and to send in revised estimates, if necessary.

Dpd. by Van / Post. / Messenger

Dpr's. initials.

Date 18/2/1930

To

The Sanitary Engineer.

Copy to the C.M.C.,Bellary.

DV

C.P. 30[illegible]108—3-10-22.

Public Works 13 **DEPARTMENT.**

Received ..... 192 . *Registered* 5[illegible]55 192 .

Subject.

Drainage Scheme - Bellary.

ENCLOSURES.
No. .....
.....
Spare copies .....

No. 72 G

Station Chepauk, *Dated the* 10th February 1930.

From (Name) J.S. Westerdale Esq., B.Sc.,M.Inst.C.E.,

(Designation) Sanitary Engineer to Government.

To The Secretary to the Government of Madras,

Local Self Government (Public Health) Department.

Sir,

09 xxii

Reference Memo No.55635-1-D2 P.H. dated 19-12-29.

Considering the work on hand it will not be possible to take up the preparation of plans and estimates for Bellary Drainage Scheme earlier than January 1931. But if the special establishment detailed in my No.2415 M. dated 19-11-29 is sancticned, it will be possible to take up the scheme in April, if the special establishment can be secured by then, and to complete it by the end of December this year. The Council's propcsal may be approved.

NS 11/2

J. S. Westerdale
10/2/30
Sanitary Engineer to Govt.

DSR/10-2-30)

12/2

D2

C.F. 50.

Public Works **DEPARTMENT.**

14

Received 25 MAR 1930 ASST. S. SECTT. L.S.G. 19 . *Registered* 11392 19 .

Subject.

Drainage Scheme - Bellary.

ENCLOSURES.
No.
Spare copies

No. 150 G.

Station Chepauk, *Dated the* 24th March 1930.

From (Name) J.S.Westerdale Esq.,B.Sc.,M.Inst.C.E.,
(Designation) Sanitary Engineer to Government.

To The Secretary to the Government of Madras,
Local Self Government (Public Health) Department.

Sir,

Memo No. 3335-1-D2-P.H. dated 17-2-30. Pl/Caute

The Bellary cantonment is a sparsely populated area consisting mainly of isolated bungalows in their own compounds. A drainage scheme for this area is not so urgent as for other congested areas like Cowl Bazaar or Brucepet. From a few levels taken in connection with a proposal for extension of Municipal Water Supply to the cantonment it is seen that it can easily be drained into the intercepting sewer starting from Cowl Bazaar in the scheme outlined in the report forwarded with this office No. 675 G. dated 4-11-29. If detailed plans and estimates for the cantonment

Pl/Caute
27/3/30

area are also to be drawn up along with the scheme for the area already investigated as per G.O. No. 940 P.H. dated 13-5-27, then a detailed investigation of taking levels etc. for this area will be necessary. The cost of this will be Rs.1300 as under:-

1 Supervisor for 4½ months on Rs.166 per mensem.	...	Rs. 747
1 Lascar for 4½ months @ Rs.12/- p.m.	...	54
4 Lascars for 3½ months @ Rs.12/-p.m.	...	168
T.A. stationery & contingencies	...	240
	Total..	1209
Centage charges @ 7½%	...	91
	Total Rs.	1300

Our Municipal Drainage Schemes as a rule only provide for the main congested area of the town, as the cost will generally be prohibitive if they included the outlying villa residential parts. The further investigation referred to above will lead to the delay in the drawing up of the scheme for the area already investigated and which stands in prior need of a scientific system of drainage. I therefore suggest that orders may be issued for the preparation of plans and estimates for the drainage of the area already investigated in detail, making the intercepting sewers etc. large enough to take in the sewage from the cantonment area later on when found necessary.

J. S. Wesley Clark
20/3/30

DSR/18-3-30). Sanitary Engineer to Govt.

Copy to the Chairman, Municipal Council, Bellary.

C.F. 30.

DEPARTMENT.

Received ASST. SECY. TO ... 3 APR 1930 192 . *Registered* 12654 192 .

THE BELLARY MUNICIPAL WATER WORKS. No. 174. W. Date 2/4/30.

Subject.

DRAINAGE SCHEME - BELLARY.

Sanitary Engineer's letter No. 150 G of 24 - 3 - 30 to you.

ENCLOSURES.
No 174 W.
Spare copies

No.

Station Bellary. *Dated the* 31 - 3 - 30. 193 .

From (Name) M.R.Ry, N. Narayana Rao Garu, B.A., B.L.,

(Designation) Chairman, Municipal Council;

To The Secretary to the Government of Madras,

Local Self Government Department.

Madras.

Sir,

I am in perfect agreement with the suggestions made by the Sanitary Engineer and request the Government to pass urgently orders directing him to proceed with the preparation of detailed plans and estimates.

2 The necessary cost of the special staff to be employed for the above purpose has been deposited by the Council to show its keen anxiety regarding the urgency of the work.

Narayana Rao
Chairman, M.C.
2.4.30

Sectt. II-5 (b)—12,004—6-11-28

Local Self Government(P.H.) DEPARTMENT.

	Date.	Initials
When received for Fair-copying.		
When copied ..	16/4	
When examined ..		
When signed ..		
When despatched ..		

17

Drainage Scheme--Bellary-Financing the cost of--

READ AGAIN G.O. No. ....., dated ..... 192 .

" " " " ..... " ..... 192 .

READ ALSO:—

C. No. 4066 From the S.E., No. 675 G, dated 4-11-1929. 192 .

" " C.M.C.Bellary " 327 dated 8-12-29.

" " " " S.E. " 42 W, dated 24-1-30.

" " ..... " " " 72 G " 10-2-30. 192 .

" " ..... " " " 150 G " 24-3-30.

" 12654 " " C.M.C.Bellary " E. " 31-3-30 192 .

~~ORDER~~. Memo. No. 12654/24 dated 16-4 1930.

Dp 16/4

The Chairman, Municipal Council, Bellary is informed that the preparation of plans and estimates for the drainage scheme for the town can be ordered only after the ways & means ~~financing~~ therefor are ~~of the scheme~~ settled.

2. The Sanitary Engineer has reported that the approximate cost of a drainage scheme for the town (excluding the cantonment area) will be Rs.7.31 lakhs to instal, and Rs.2,500/- annually to maintain. Assuming that Government bear one half of the estimated capital cost of the scheme, the Council will have to find a sum of Rs.3,65,500/- towards the initial cost and the annual maintenance charges.

para 1 on p. 1 above

1

The Chairman is requested to

place the matter before the Council and to report to Government at an - early date how it proposes to finance the scheme. Figures should be furnished in support of ~~the~~ proposals.

To the C.M.C. Bellary. 1

Copy to the S.E. 2



C.F. 30.

~~B~~ 2 DEPARTMENT.

19

Received ..... 192 . *Registered* ..... 192 .

18170

Subject.

DRAINAGE SCHEME- BELLARY - FINANCING THE SCHEME.

ENCLOSURES.
No .....
.....
Spare copies .....

No. 174 W/16-5-30

Station B E L L A R Y. *Dated the* 17th May 1930.

From (Name) M.R.Ry., N.Narayana Rao Garu B.A., B.L.,

(Designation) Chairman, Municipal Council,

To The Secretary to the Government of Madras,

Local Self Government Department.

M A D R A S.

Sir,

Ref 17-8 cute

Reference to Government Memo No. 12654.1.D 4 P. H. dated 15-4-30.

p22 note

A Copy of the Water Works Standing Committee Resolution No.3/9-4-30 is herewith sent. It has resolved to divide the whole area of Bellary into 3 portions.

1.Brucepet 2. Cowl Bazaar 3.Satyanarayana Pet and Gadhinagar.

As per Sanitary Engineer's letter No.675 G. dated 4-11-29 the cost of the scheme is Rs. 7,31,000/-

Now as per resolution of the Council the initial cost of the scheme will be reduced by Rs. 2,31,600 as per details below.

E 1 cute

E - prumpa

Pl. 16/5

Open drains Cowl Bazaar	Rs.	1,06,000
Open drains Extensions	Rs.	40,000
Intercepting sewers of Cowl Bazaar about 2 miles.	Rs.	42,000
Regrading Roads etc. of Cowl Bazaar and Extensions	Rs.	5,000
	Rs.	1,93,000
Centage and etc. charges on this 1,93,000 at (20%) 15% ?	Rs.	38,600 ?
Total	Rs.	2,31,600

This amount has to be deducted from the total cost of Rs.7.31 lacks. That means the cost of the Brucepet Scheme would be Rs. 7,31,000 - 2,31,600 = 4,99,400 or in round figures Rs.5 lacks.

See S.E's estimate p.14 N.F

The Council will have to pay only its share 2,50,000/- If this amount is paid to the Municipality as a loan repayable in 30 years the amount which will have to be paid yearly will be Rs. 16,250 towards interest, and Rs. 8,334 towards instalment Capital.

Rs 2,50,000 amount p.13 N.F.

This will be the amount if interest is calculated at 6½%. The rate of interest is a varying item and that also has to be noted. Further, the total cost of the Scheme will greatly reduce itself when the detailed plans and Estimates are prepared, the Estimate amount may go down by about 1 or 1½ lacks, in which case, the interest and the instalment Capital will also be reduced. Any how the calculation is made on the Estimate amount of Rs. 7,31, lacks, though the Sanitary Engineer has stated that it is an approximate cost. Further, in the course of execution it is likely that a very large amount would be saved also. All these factors have to be considered in directing the preparation of detailed plans and Estimates.

The income from the following institutions for the water supplied will be set apart for the purpose.

Railway Station	Rs. 13,000	per annum.
Hospital	Rs. 300	"
Women and Children Hospital	Rs. 200	"
Central Jail	Rs. 500	"
Alipuram Jail Off and on	Rs. 1,000	"
	Rs. 15,000	"

I request the Government to kindly direct the preparation of detailed plans and estimates for the Brucepet area in the first instance.

The matter may kindly be treated as very urgent.

Narayana Rao

Chairman, M.C.

16530

Copy of the Water Works Standing Committee Resolution No. 3/ 9- 5- 30.

Subject:- Drainage Scheme.

Resolution No. 3.

The Committee resolves to split up the town into three portions. 1. Brucepet

2. Cowl Bazaar

3. Satyanarayana pet and Gandhi Nagar.

and to request the Government to take up the portions in the order mentioned above and have the Drainage Scheme executed. Brucepet is the most populous of all the three portions; and the need for a Drainage Scheme is very urgent in this locality and hence the urgency of the same is felt.

The money to be earned from the Railway Company, and that is being earned from the General Hospital and Central Jail and other institutions will be earmarked for the purpose, and the same will be enough to pay the instalment Capital and interest on the sum lent for the Brucepet Scheme.

Hence Government is requested to direct the preparation of detailed Plans and Estimates for Brucepet only, for the present.

(True Copy)

Narayana Rao

Chairman, M.C. 16 5 30

25

L.Sg (PH) Dept

From the SE, no 1504 d 24.3.30

Exc Bellary d 31.3.30

SE no 3044 d 5.6.31

14/2/16 DM 27/6

dh 26/6

Drainage Scheme. Bellary Municipality.

Memo. 2045-1 Sg PH dg 296

According to the details furnished by the Sanitary Engineer in his letter No 2415-H dated 19.11.29 to the Exc C, Bellary, the special staff required to prepare a drainage Scheme for the Municipality will have to be employed for a period of nine months.

p&cf.

It is observed from the SE's note no 3044 9 d 5.6.30 that, on the special staff is employed, plans and estimates even for the Municipal section of the Scheme are not likely to be ready much earlier than April 1932.

p15 months

The Sanitary Engineer is requested to explain clearly why the preparation of the Scheme cannot be completed earlier.

DCM van 28/6

To the SE.

kg 17/6/30

18/6

24

C.F. 30.

Public Works **DEPARTMENT.**

Received ..... 19 . *Registered* 19



23521

Subject.

Drainage Schere - Bellary Municipality.

Enclosures.
No. .....
.....
Spare copies .....

No. 346 G

Station Chepauk, *Dated the* 2-7- 19 30.

From (Name) J.S. Westerdale Esq., B.Sc., M.Inst.C.E.,

(Designation) Sanitary Engineer to Government.

To The Secretary to the Government of Madras,

Local Self Government (Public Health) Department.

Sir,

Memo No.20415-1-E 2 P.H. dated 20-6-30. p 23 ante

As stated in my No.2415 M dated 19-11-29, the preparation of the Drainage Scheme in this office is expected to take about nine months, after the special staff therefor is engaged on receipt of orders to employ it. Much difficulty is experienced in finding suitable men for short periods for such specialized work. The staff required may have to be advertised for and selected. This will necessarily mean a delay of 2 or even 3 months before actual work of design could be started after receipt of orders.

Moreover as the estimate for the scheme will be

over a lakh of rupees and beyond my powers of sanction, it will have to go up to the Chief Engineer for scrutiny and sanction. The scrutiny of the scheme in the Chief Engineer's office is likely to take about 3 months. The scheme can at the earliest therefore be ready only by about October 1931. Allowing for any unforeseen and unavoidable delays, I considered it would be safe to assume that the scheme might not be ready for execution much earlier than April 1932.

DSE/30-6-30).

for Sanitary Engineer to Govt.

30.6.30.

30-6-30

C.F. 30.

G.O. DEPARTMENT. Ub

SECRETARY TO GOVERNMENT
6 AUG 1930
LOCAL SELF GOVERNMENT DEPARTMENT

Received 6 AUG 1930 192 . *Registered* 27981 192 .

Subject.

REFERENCE:-DRAINAGE SCHEME.

ENCLOSURES.
No .....
.....
Spare copies .....

No. 174 W

Station BELLARY. *Dated the* 4th August 1930.

From (Name) M. R. Ry., N.Narayana Rao Garu, B.A., B.L.,

(Designation) Chairman, Municipal Council,

To The Secretary to the Government of Madras,

Local Self Govt. Department.

MADRAS.

Sir,

I request you to kindly inform me if orders have been issued for the preparation of detailed Plans and Estimates of the above scheme.

Narayana Rao

Chairman, M. C.

5 8 30

GSR
9.18.30

L.S.G.

15/8 27 981 From the Cue Bellary

No 1740 of 4.8.30

Drainage Scheme. Bellary

Mul cl- Preparation of plans

And estimate

17/8

15/8

14/8

Memo No 27981-Dr 8/8/30

The chairman is informed that the matter is still under the consideration of Govt and that orders will be issued in due course.

17/8

11.8.30

Dpd by Pan Post Messenger

Dpr's. initials BM

Date 15/8/30 192

To the Cue Bellary.

17/8

or

A reference has gone to the A.G. about the employment of staff. (whether receivers should be treated as Deposits or Receipts)

11/8

28

Local Self Government(P.H)Department.

From the Sany.Engineer,Madras, No.675 G, dated 4-11-29.
" C.M.C.Bellary,No.327 d/11-12-29.
" Sany.Engineer,Mo.72 G,d/10-2-30.
" Do. 150 G,d/24-3-30.
" C.M.C.Bellary,No.174 W,d/17-5-30.
" Sany.Engineer,No.346 G,d/2-7-30.

Subject. Drainage--Bellary--Preparation of plans and estimates.

MEMO. 33781-P2 P48 6/9

In his letter No.675 G,dated 4.11.29 the Sanitary Engineer reported that the approximate cost of a drainage scheme for Bellary town excluding the Cantonment area would be Rs.7.31 lakhs and in his letter No.2415 dated 19-11-29 to the C.M.C. Bellary he has suggested the employment of a special staff at a cost of Rs.2800 for the preparation of the scheme. The Council has since decided that the drainage of Brucepeta area alone should be taken up first. In view of the fact that the restricted scheme is estimated to cost only Rs. 4.65 lakhs, the Sanitary Engineer is requested to consider and report whether it is not possible to make a reduction either in the strength of the special staff required for the preparation of plans and estimates or in the period of its employment or both.

Dpd. by Van / Peon / Messenger
Dpt's initials SP
Date 17/9/30

28

To the Sanitary Engineer(Q&M.)

EN 29

PUBLIC WORKS **DEPARTMENT.**

C.F. 30.

Received ..... 19 . *Registered* ..... 19 .

36462

Subject.

Drainage - Bellary - Preparation of plans and estimates.

ENCLOSURES.
No. .....
.....
Spare copies .....

No. 518 G

Station Triplicane, Madras *Dated the* 25th September 1930.

From (Name) J.R. Thurai Singham Esq., A.K.C.,
(Designation) Sanitary Engineer to Government.

To The Secretary to the Government of Madras,
LOCAL SELF GOVERNMENT Department.

Sir,

Memo. No. 33781-1 E.2 P.H. dated 16th September 1930.

Even for drawing up in detail the portion of the scheme of drainage of Bellary relating to Brucepet, the general outlines of the comprehensive scheme for Cowl Bazaar and Brucepet will have to be worked out so that the several parts of the scheme might properly fit in. Hence it is best to complete the whole scheme at a stretch by the same staff. But as desired by the Municipal Council the detailed scheme for Brucepet area could be given preference in drawing up to enable the Council to start work there first. I therefore recommend that the full staff specified in my No. 2415 M. dated

pranti
NS/27.9

dated 19-11-1929 to the Chairman, Municipal Council for the period noted therein may be sanctioned.

24.9.30

PSN/24-9-30. Sanitary Engineer to Govt.

24.9.

C.F. 30.

MUNICIPAL WATER WORKS **DEPARTMENT.**

31



Received ..... 192 . *Registered* 56665 192 .

Subject.

D R A I N A G E - S C H E M E.

ENCLOSURES.
-
No .....
.....
Spare copies .....

Reminder No. 111 / 174 W

Station Bellary *Dated the* 26th September 1930

From (Name) M.R.Ry. N. Narayana Rao Garu, B.A., B.L.,

(Designation) Chairman, Municipal Council,

To The Secretary to the Government of Madras,

Local Self Government Department.
MADRAS.

Sir,

I request you to kindly intimate if any order has been passed regarding the preparation of detailed plans and Estimates. The cost of such preparation has been deposited by the Council already. The subject has been pending for a long time and I request early order on the subject.

Narayana Rao
Chairman, M.C.
26/9/30

MS
29/9

L.S.E.P.W. Dept.

32

Town Clerk Bellary no 327 & 8.12.29
" " 42w " 20.1.30
" " — " 31.3.30
" " 174 W & 17.5.30
36865 " " " & 26.9.30

Drainage – Bellary mkt
Preparation of plans & estimates

W 9.10
x 9w 9/10
RR

RJ 9/10

Memo 36665-1 Ex Pth & 9.10.30

The Cmc Bellary is informed that in addition to the cost of the special staff to be employed for the preparation of plans and estimate for the drainage Scheme for the town the Council will also have to ~~[illegible]~~ provide for its leave and pensionary contribution and that no portion of these charges will be debitable to provincial funds.

The Chairman is requested to report whether the Council agrees to the above conditions

HS 6/10

RJ 8/10.

Dpd. by Van Pillai Typist
Dpt's initials 87
Date 9/10/1930

10

To
The Cmc Bellary (Stan)
Copy to the Sanl Engr "

C.F. 30.

MUNICIPAL WATER WORKS -- **DEPARTMENT.**

82 33

Received ..... 192 . *Registered* 40223 192 .

Subject.

Drainage :- Bellary Municipal Council - Preparation of plans and estimates.

ENCLOSURES.
No .....
.....
Spare copies .....

No.174 W

Station Bellary *Dated the* 23rd October 1930.

From (Name) M.R.Ry. N. Narayana Rao Garu, B.A., B.L.,

(Designation) Chairman, Municipal Council,

To The Secretary to the Government of Madras,

Local Self Government Department.
Madras.

Sir,

Reference to Memo No. 36665-1-E2 P.H. dated 9/10/3

I herewith forward a copy of Councils resolution No. ~~1~~ dated ~~20-10~~-30 agreeing to pay the leave and pensionary contribution ~~for~~ the special staff to be employed in the preparation of plans and estimates.

I request the Government to kindly pass early orders in the matter.

GSR 24/10/30

IRS 27/10

- 24/10.

Copy to the Sanitary Engineer, to Government, Madras.

Narayana Rao
Chairman, M.C.
25 2030

PROCEEDINGS OF THE MUNICIPAL COUNCIL, B E L L A R Y.

READ:-

Subject No. 1.

Government Memo No: 36665-1-E-2-P.H., dated 9-10-30, stating that in addition to the cost of special staff to be employed for the preparation of plans and estimates for the Bellary Drainage Scheme to be borne by the Council, the Council will have also to bear the leave and pensionary contribution charges of the said staff etc.

Resolution:-

The Council agrees to pay the leave and pensionary contribution of the special staff that may be appointed for the preparation of detailed plans and estimates and requests the Government to expedite the said preparation as the Drainage Scheme is an urgent necessity for the town.

sd/ N. Narayana Rao

Chairman, M.C.

(True copy)

Narayana Rao

CHairman, M.C.

25 10 30

C.F. 30.

F v

DEPARTMENT.

35

Received ..... 19 . Registered ..... 19 .

RECEIVED TO GOVERNMENT SECRETARIAT 27 OCT 1930 LOCAL SELF GOVERNMENT DEPARTMENT

40267 *Subject.*

Drainage Scheme.

ENCLOSURES.
No. one.
.....
Spare copies .....

No. Sc 296
25-X-30

Station Bellary., *Dated the* 24th October 1930. 19

From (Name) M.R.Ry. N. Narayana Rao Garu, B.A.B.L,
(Designation) Chairman Municipal Council Bellary.

To The Secretary to the Government of Madras,
Local Self Government Department.
Madras.

Sir,

Reference Government Memorandum No:36665-1-E-2 P.H. dated 9-10-30.

I herewith send a copy of the Resolution No:I passed at the Council's Meeting held on 20-10-30 and request you to pass orders regarding the preparation of detailed plans and estimates.

32 ante

36 infra

I.M/25/10

Vice Chairman, M.C. 24/10/30

hmr 24-10-30

L. N. P. B. 500-1-30.

36 Phone No. 23.

EXTRACT FROM PROCEEDINGS OF THE MUNICIPAL COUNCIL, at its urgent meeting held on Monday the 20th October 1930 at 5.30 P.M.

BELLARY.

Dated.....24-10-30, 193

READ :—

1. Government Memo No:36665-1-E.2-P.H., dated 9-10-30 stating that in addition to the cost of special staff to b be employed for the preparation of plans and estimates for the Bellary Drainage Scheme to be borne by the Coun-cil, the Council will have also to bear the leave and pensionary contribution charges of the said staff etc.

Resolution:-

The Council agrees to pay the leave and pensionary contribution of the special staff that may be appointed for the preparation of detailed plans & esti-mates and requests the Government to expedite the said preparation as the Drainage Scheme is an urgent necessity for the town.

.....

True extract.

24/10/30

Vice Chairman. M.C.

24-10-30

I.M/24/10

57

L.S.G(P.H)

C-No. 45066, From the S.E, No. 675, Dt 6-11-29

Drainage scheme, Bellary

The S.E, while forwarding the report of the Dy.S.E on the investigation for a drainage scheme for Bellary, reports that the approximate initial and maintenance cost of the scheme will be Rs. 7,31,000 and Rs. 2500 respectively. The urgent necessity for a drainage scheme has been admitted by the S.E but the reports that if the Council is unable to find funds for a comprehensive scheme all at once, the scheme may be executed piecemeal, congested areas like Cowl bazaar and Brucepet being taken up first and the others in the order of urgency. In G.O. No. 1117 P.H, Dt 7-6-27, the Govt. have permitted execution of drainage schemes in instalments subject to the conditions referred to in para 3 thereof.

P 1 of

2 The Council has taken at a

loan of Rs. 2,76,567 for its water-supply scheme which is now under execution. If the drainage scheme is to be taken up as a whole, the Council will have to take a loan of half the cost of the scheme i.e. about Rs. 3.65 lakhs and will also have to find Rs. 2500 annually towards the maintenance charges. Please see the notes on pp 19-20 of G.O. No. 940 P.H. dt 13-5-27 in which the financial position of the Council has been examined. (N)

3 The question whether the Council desires to carry out the scheme as a whole or piecemeal has first to be decided before the financial position of the Council is again examined. ~~If the Council desires to carry out the scheme~~ After ascertaining the wishes of the Council in the matter then the S.E may have to be directed to prepare a key scheme for the approval of the Govt. A copy of the report of the Dy. Sanv Engr. may now be sent to the Council for remarks in the first instance. The draft memo. below is for appl.

11/8/11

11/8/11 KK 9.VIII

p5 of
~~p6 of~~ [E. Memo. No. 45066-1 D₂ P.H, d. 8/X1.29]
p6-8 of C.No. 55635, From the C.E. D.C. Bellary,
No: 327, d. 8-12-29

A copy of the above letter ~~by~~ to C.E. has been sent to the S.E./ Cuddapah & he may now be requested to offer his remarks thereon. The draft below is for appl.

C.E.
14/XII
Ks
9/12/29

for
19/12

p9 of [Memo No 55635/1 D2 PH dated 19-12-29]
p.1. 11-11 of C.No 3335 From the C.E. Bellary No 4208/23/1

The S.E. 's reply to memo No
p9 of 55635/1 D2 PH d. 19.12.29 has not been received.
In the meanwhile the C.E. Bellary requests
p11 of the Govt to sanction the preparation of plans and estimates for the drainage scheme as he has paid Rs 2800/- for the employment of a special staff for the purpose. The Finance Dept objects to the employment of a special staff for the preparation of plans and estimates as eventually half the cost is debited to Provincial funds. No special staff can therefore be sanctioned for the purpose.

2. Before the preparation of plans and estimates is ordered the Govt must

Vide ante
p5 of

know definitely whether the Council will be able to finance a comprehensive scheme on the half grant half loan principle. If this is not possible, the Council must be asked to take up the execution of the scheme as in statements.

The financial position of the Council is examined below:-

1.2.30 The budget for 1929-30 shows a surplus of Rs 40,830 in the water drainage tax fund.

1.2.31 The property tax registers were last revised from 1927-28 & the next quinquennial revision may be expected to bring in an addl revenue of Rs 4000 in each revision from the W+D tax (now levied at 6½ pc. yielding a revenue of Rs 36,000 in round sum). The surplus of the Cl in 1930-31 & 1931-32 may be taken as Rs 11,000, at Rs 15,000 between 1932-33 & 1936-37 & at Rs 19,000 from 1937-38 onwards.

2. The Cl has got two big schemes on hand the Electric Lighting scheme & the market scheme, the incidence of the cost of which falls on the general

funds: The former scheme will ultimately become remunerative & the Cl has been told to raise the rates to make the concern a financial success in the meanwhile. The Cl has promised to give the rents on the market stalls so as to cover the annuity on the market loan. These two schemes may be left out of account in considering the financing of the drainage scheme.

3. The Cl has on hand a scheme for the extension of the water supply to the Brace pettah but it has invested past years' surpluses & W.W. fund which will suffice to meet the Cl's share of the extension scheme. The add[l] maintenance charge will be slight. This scheme also will not very much affect the surplus in the W.W. fund.

4. Assuming that the Cl executes the drainage scheme in toto, the annual expenditure from its funds will amount to Rs 61,000 in the first two years & Rs 60,000 in the fifth year. The

investigation and preparation of detailed plans & estimates may take two years. The Cl can start work about 1932-33. The Cl has in hand a balance of Rs 43,647. (Exclusive of sums invested in the Bunderpattah scheme) & about Rs 40000 can be made available for the drainage scheme. The surpluses in 1930-31 & 1931-32 (Rs 11000 each) may also be available. The income from the sewage farm can be depended upon only after the scheme is completed & in each completed instalment of the drainage scheme maintenance charges may amount to about Rs 1000 per annum. The scheme of financing will then stand approximately as follows :—

year	Cl's share Rs	amount available from surpluses Rs	Amount to be borrowed Rs	annuity payable on loans Rs	Deficiency of funds Rs	
1932-33	61000	62000	-	-	-	
1933-34	61000	15000 (surplus 1932-33)	46000	[3929] (payable next year)	-	(maint. charges for last instalment of scheme can be met from balance of previous years surplus)
1934-35	61000	9000 (surplus of 33-34 less annuity & maint. charges for instalment)	52000	3929 [4442]	-	
1935-36	61000	4000 (surplus of 34-35 less annuity + maint. charges 3 instalments)	57000	8381 [4869]	-	
1936-37	61,000	(Part of surplus 4000 + 15000)	61000	13250 [5211]	-2250 (can be met from surplus of 1936-37)	(+13250 + 4000 + 15000)
1937-38	60000	do	60000	18461 [5125]	-10711 (can be met from the Surplus of 1937-38)	(-18461 - 5000 + 17750)
	365000		276000	23586		

From 1933-34 onwards the maintenance charges (Excluding of the income from the Levy of tax) & the annuities will amount to Rs 260886, while the supplies in the W&S fund will be Rs 19000 only. The deficiency can be made good if the Cl will raise the W&S tax by 1¼ p.c. [The total demand from 6½ p.c. tax in that year may be taken as Rs 46000]

(46000 × 2 = 80000 / 13)
1 p.c. tax - Rs 6769
1¼ p.c. - Rs 8461

If the Cl spread the scheme over a longer number of years it may not find it necessary to raise the addl taxation.

7/2/30. We are going to amalgamate the area of the Bellary Cantonment with the Bellary Mc with effect from the 1st April 30. How will this affect the position?

AS2
BS

To B1

To inform BS

The Scheme prepared by the Sanitary Engineer relates only to the existing muni area. If the Cantonment area is to be amalgamated with the municipality, the Sanitary Engineer will have to prepare a scheme for the Canton-

ment area also. The San.y Engr. may be informed about it and asked to report the approximate ~~about the~~ cost of the drainage scheme both for the whole area. The financial position may be examined after the cost is known.

The draft below is for approval.

HS 8.2.30

WD 8.2.30

The Dellar Cantonment should have a drainage system of its own. + through A₂ & D₂

we may ask the Sanitary Engineer if the fitting in of the proposed scheme of the town with that in the Cantt area necessitates any modification of the scheme below my Estimates. The reference to the M.C. is necessary at present as they have been asked, in connection with the proposed amalgamation, to send in figures of Estimated revenue &c in respect of

[illegible]

[illegible] 17-2-30] Pl. ref.

p12c

5.7.55 From the Sanitary Engineer's no 72 G 8/7/2

p13c

A reply since received from the Sanitary Engineer has been added to the current file. No action is called for on it at present, as the Sanitary Engineer has been asked to submit his memo no 3335-1 D2 P.4. dated 17.2.30 revised proposals if necessary, for the town including the Cantonment area. His reply may be awaited.

p12c

Ag.
19/2

Ag
18.2.30

C no 11392 From the San'y Engr. no 150 G 8 24/2/30

The S.E. reports that a drainage scheme for the Cantonment area is not so urgent as for other congested areas like Cowl Bazaar or Bruce pet. Moreover the Cantonment is sparsely populated and consists of isolated bungalows and the area can be easily drained into the intercepting sewer outlined in the scheme already submitted. The investigation of a scheme for this area will cost about Rs 1,300.

p14c

p15c

2. As the municipal drainage scheme as a rule provides only for the main congested area of the town the Sanitary Engineer suggests that orders may be issued for the preparation of plans and estimates for the drainage of the area already investigated in detail, making the intercepting sewer large enough to take in the sewage from the Cantonment area, when found necessary. p 15 ℄

3. In the circumstances stated by the Sanitary Engineer it is for orders whether the drainage of the Cantonment area may be left out of consideration for the present. If so the preparation of plans and estimates will have to be ordered after ascertaining the views of the Council in regard to the financing of the Scheme as detailed on pp 4-7 supra.

Ms
2-4-30

Info' B
2/4

Ms 2

Cnv 12664 from the Chief Secretary dated 31.3.30 p 16 ℄

A current Issue Received

from the C.M.C Bellary has been added to the Current file vide page 16 c/f.

The CME agrees with the views expressed by the S.E. in his letter on pages 14-15 ante. He requests that the preparation of plans and estimates may be ordered. He has not expressed any views regarding the financing of the scheme called for in memo No. 45066-1 D2 PH dated 8-11-29.

P5y

The preparation of plans and estimates can be ordered only after the financing of the scheme is settled.

The attention of the Chairman may be invited to the memo on page 5 c/f and he may be asked to report how the Council proposes to finance the scheme ~~detailed~~ recommended by the S.E. in his letter No. 675 dt. 4.11.29.

P4y

The draft below is for approval

4-30

[Memo No 12654-1 D4 PH dt 15.4.30]

C.No.18170 From the Cmte Bellary No 174/W3-1-7/5/30 dt 19-2-31

The Bellary municl Council has resolved to take up the drainage of Brucepet area. First the Cmte estimate the cost of this scheme at Rs 5 lakhs roughly. And proposes to take a loan of half the estimated cost for to be repaid in 30 years. A sum of Rs 15,000/- annually is proposed to be set apart for the purpose of repayment of this loan. p 22 f p 20 f p 21 f

2. The financial position of the Council has been examined already vide Note on pages 4-7 ante. From that it will be seen that the Council has a balance of Rs 43617 on hand, exclusive of sums invested of which about Rs 40000 can be made available for the drainage Scheme. An annual surplus of Rs 11,000/- is expected in the water and drainage tax fund in each of the years 1930-31 and 1931-32. The revising general property tax register in 1932-33 is expected to bring in an additional Revenue of Rs 4,000/- from that year onwards. Thus the surplus from 1932-33 onwards may be taken at Rs 15,000/- p 6 ante p 4 ante

3. The preparation of plans and estimates will take about 8 months to be completed. Assuming that the work is taken up now, funds will have to be provided in 1931-32 budget. In 1931-32 a surplus of Rs.51,000 will be available for the work as the Council's share of the cost. It will be enough if the Council takes up a loan of Rs. 1.99 or say 2 lakhs. The annuity for a loan of Rs. 2 lakhs to be repaid in 20 years with interest at 5 ¾ per cent willbe Rs. 17,082/-. The Council can meet the annuity and the maintenance charges from the income of Rs.15,000/- proposed to be set apart for the purpose and from the additional revenue of Rs.4,000/- expected from the revision of the general property tax register. The Council in this connection has requested that the period of repayment of the loan may be fixed at 30 years. There seems to be no need to comply with the Council's request.

4. The financial position having been settled, the preparation of plans and estimates will have to be ordered. The Council has already paid a sum of Rs. 2,800/- for the employment of a special staff for the purpose. As the entire cost will be borne by the Council there seems no objection to the employment of the special staff. The council may in this connection be informed that no part of the cost of the special staff will be debited to Provincial funds if and when grants are made for the work.

5. Before the preparation of plans and estimates is ordered the Sanitary Engineer may be requested u.o. to offer his remarks on the Chairman's letter and state what the cost of the Brucepeta scheme, as well as the annual maintenance charges will be. The scheme outlined by the S.E. will be treated as a key scheme and the Brucepeta scheme as an instalment scheme.

Sanitary Engineer

As desired by the Chairman, the preparation of a scheme of drainage for Brucepet may be taken up in the 1st instance and completed. The approximate initial and maintenance costs for the drainage of Brucepet will be Rs. 4.65 lakhs and Rs. 1,800 respectively as under:-

Initial cost.

	Rs.
Open drains in Brucepet area.	2,40,000
Regrading roads, providing drain crossings, etc.	15,000
Removing and filling existing soakage pits.	7,500
Intercepting sewers with manholes, about 3¼ miles	80,000
Drain junctions, storm-water overflows, etc.	3,000
Night soil dumping pits.	10,000
30 acres land for sewage farm.	7,500
Collecting ~~weirs~~, works, laying out sewage farm etc.	10,000
	3,73,000
Unforeseen works @ 4%	14,920
Contingencies @ 5%	18,650
Centage charges @ 15½%	57,815
	4,64,385

or say 4.65 lakhs.

Annual maintenance charges.

12 drain & sewer coolies @ Rs12 per mensem.	Rs. 1,728
2 ~~menials~~ maistries @ Rs. 20 per mensem.	480
5 sewage farm coolies @ Rs12 per mensem.	720
1 maistry for the farm @ Rs. 25 per mensem.	300
Repairs to drains etc.	572
	3,800
Deduct revenue realisiable from the farm.	2,000
Net charges.	Rs 1,800

The Council's share of the initial cost of the scheme will therefore be ½ x 4.65 lakhs or 2.325 lakhs. Deducting the surplus of Rs. 51,000 available, the loan required will be Rs. 1,81,500. The amount that will have

51

have to be found yearly by the Council for the repayment of the loan and the maintenance charges will be Rs. 1,5504+ Rs. 1,800 or Rs. 17,304.

Even if the employment of a special staff is sanctioned for the preparation of the scheme, plans and estimates are not likely to be ready for execution much earlier than April 1932.

5/6/30.

304 G.
5-6-30. L.S.G./U.O.

Ger. File

PSN/5-6-30.
5.6.30.

E 2

L.S.G. (Pol) Dept

20415

Please see the S.E.'s Note above. He says that the scheme will not be ready for execution until April 1932 even if a special staff is sanctioned for the purpose.

2. It has already been seen that the council will be able to finance

para 3, p 12 Subject

the scheme. The preparation of plans and estimates will have to be ordered now. Before this is done it is for Consideration whether the S.E. may be

52 4/6

asked to state why it will take such a long time to prepare the plans and estimates even after a special staff is sanctioned for the purpose.

Details of the special staff to be employed for drawing up the scheme are given in the SE's letter to the Chairman on p 8 c/. According to that letter special staff was required only for nine months; and that too for the whole scheme. According to the SE's note on page 48 above it looks as if the special staff will have to be employed for a longer period and the expenditure on account of the staff will proportionately also increase. This point may perhaps be cleared up before proceeding further. 1/6. & 4/6

Orders sanctioning the preparation of plans and estimates may thereafter with the Commencement of finance and PWD

Madras 18/6

ks 18/6

A draft memo is submitted for approval

18/6.

Ag 18/6

V.G. 20/6.

5 'a

p23 of. Memo no 20415-1E2 P.H. dated 20.6.30.
pp24-25 of. 23521. From the Sanitary Engineer no 3468 dg 2/7/30

Please see the Sanitary Engineer's letter on pages 24-25 of. There does not appear to be any possibility of the Scheme being ready for execution earlier than April 1932. For orders whether the preparation of plans and estimates may be sanctioned. If so, the draft below is for approval. It may be sent to P.W.D. and Finance Depts for acceptance before issue.

p25 of

9.7.30

9/7

P.W.D.

Fin.

G.O. no 2041S-2E2 PA

11-7-30

The draft order may be accepted and may be passed on to the Finance Dept

Fin No.

12 JUL 1930 C 12572 PUBLIC L...

ASST. SECRETARY TO GOVT. 18 JUL 1930 FINANCE DEPT.

M.O. No. 12512 dt 30/7

22539

11.7.30

Submitted that the draft order may be accepted subject to orders on paras 2 to 3 below.

2. Period for the repayment of the loan.

L.S.G. may be requested to add a sentence informing the Municipal Council that the period for the repayment of the loan will be 20 years - see K on page 13 above. Vide 22730 Fin(ET) 22.7.30.

3. Staff. It is proposed to employ a special staff in the Sanitary Engineer's office for the preparation of plans and estimates for the scheme. The Municipal Council Bellary has deposited a sum of Rs 2800/ in the Treasury towards the cost of the staff as shown below:-

	cost p.m. Rs
1 Supervisor for 9 months	1494
1 draftsman on Rs 80/ for 9 months	720
2 tracers on Rs 33 per mensem for 4 months...	264
1 typist on R 40 for 2 months.	80
T.A, contingencies etc.	242
Total	2800

The recovery from the Municipal Council should provide for leave and pension contribution for the staff. Provision will have to be made on the expenditure side of the budget for the staff if the recovery from the municipality is treated as a receipt. It is however understood from the Acct. Genl's office that they have recently decided that recoveries made from local bodies to meet the cost of preparation of plans and estimates for this staff for the water supply and drainage schemes may be treated as deposits and not as receipts. ~~In the case~~ of treated as a deposit, the question of provision of funds will not arise and

no

no reference to the Finance Committee will be necessary. L.S.G. may be requested to consult the Acct. Genl. on the point before issuing orders on the case.

25.7.30

26/7/30.

L.S.G. (P.H.)

Fin no 22539 Sett-1

26.7.30

See notes on page 57

L.S.G. (P.H.)

SECRETARY TO GOVT. OF ASSAM
29 JUL 1930
LOCAL SELF GOVERNMENT

26951

23521

The Appo. note may be sent to the Account General for remarks on the points raised in the Finance Dept note above. The draft G.O. below is for approval

28/7

29/7

30/7.

Nadeem
31/7

Dy 4/8

A.G. memo 26951-LE dt 4/8/30

2056 L. S. (Pa) Depn

Subject:- Bellary Drainage Scheme —
Employment of Special Staff ~~to be sanctioned~~

The Bellary municipal Council wants to take up the drainage scheme of the town urgently and the Sanitary Engineer has reported that the ~~preparation~~ plans and estimates for the Scheme can be prepared if a Special Staff costing Rs 2800/- is employed in his office for the purpose. The municipal Council Bellary has accordingly placed a sum of Rs 2,800/- at the disposal of the Sanitary Engineer. ~~As part~~ No portion of the cost of this special staff will be debited to provincial funds when funds are provided for the execution of the Scheme.

2. Under F.R. 127 and the note thereunder the recovery from the municipal Council should provide for leave and pensionary contributions of the special staff. Provision should also be made in the ~~C.E.~~ outlay for the staff if the recovery from the Council is treated as a receipt. It is however understood that such ~~receipt~~ recoveries are treated as

outlay expenditure side

@ Staff
1 Supervisor for 9 months @ Rs 194 = Rs 1494
1 Draftsman @ Rs 80/- " = 720
2 Tracers on Rs 33 pm for 4 months = 264
1 typist on Rs 40/- for 2 months = 80
T.A. Contingencies etc. = 242
Rs 2800

deposits instead of as receipts. If treated as deposits, ~~then~~ there will be no need to make provision in the budget. The A.G. may be requested to state i.o. how such recoveries have been treated till now and whether there is any objection to treating them as deposits.

31/7/30
Acct. Gen. ms.

L.S.R. memo 2695-1E
4/8/30

58
A.G's office

Subject.- Bellary Drainage Scheme -
Employment of special staff.

The proposed additional staff should be considered as an addition to the regular Establishment of the Sanitary Engineer and under Fundamental Rule 127, the gross sanctioned cost including contributions for leave and pension should be recovered from the Local Body concerned. The additional Establishment should be sanctioned by Government under Provincial Establisments Temporary - Vide G.O.No.2248 W (Public Works and Labour Department) dated 4th October 1927.

2. In the case of investigations of water supply and drainage schemes the existing procedure is that the estimated cost of the investigation including the cost of the additional Establishment, is recovered from the Local body in advance and is kept under Public Works Deposits in the account of the Superintending Engineer. The actual cost of this Establishment at the rates fixed by Government is met out of this deposit by debit to it and per contra credit to the head "33 Public Health Sanitary Engineer - Charges recoverable from Governments and Departments - Centage charges recoverable for work done for local bodies." As the recovery however represents the cost of the Establishment as well as leave and pensionary contribution, the credit on account of pay and leave contribution should correctly be afforded to the receipt-head corresponding to the service head to which the pay of the Establishment is debited i.e., XXIII P.H. Collection of payments for services rendered and that on account of pension contribution to XXXIII Receipts in aid of Superannuation. The question of adopting the correct head of classification of these recoveries is under consideration and a further communication will be

be made to Government in due course.

3. The procedure outlined in the above ~~para~~ para which applies to the preliminary investigation of water supply and drainage schemes need not be applied in the present case, as the proposed establishment is to be employed in the office of the Sanitary Engineer in connection with the preparation of plans and estimates for the drainage scheme. The receipts and charges on account of this staff need not be brought into the Public Works Accounts of the Superintending Engineer. Necessary provision for the charges may be made under 33 Public Health, Public Health Establishments - Sanitary Engineer Pay of Establishments - Voted and the recovery of cost of Establishment and Leave contribution from the Municipality on this account be credited to ~~XXIII~~ XXIII Public Health - Collection of payments for services rendered and that of Pension Contribution to XXXIII - Receipts in aid of Superannuation.



30937

A

for Secretary to Government.

M. G. L.S.G(P.H.) Department. 810 Δ 22 8/30
A.G.Madras, U.O.No.T.4.P.H.P.A/I-1/251 dated 21st August 1930

L.S.G. P.W.D.

Please see the Finance Dept. note on pages 18-19 supra and the A.G's note on pages 22-23 ante. According to the procedure suggested by the A.G the staff required for the preparation of plans and estimates in the Sanitary Engineer's office will have to be sanctioned by the P.W.D. Deptt and the necessary funds have to be provided under 33 a. P.W. - P.W. Establishments - S.E. pay Establishments Vote. Finance Dept may be consulted as to the further procedure to be adopted now.

A on page 23 ante

2. The further communication promised by the A.G. in para 2 of his note may be dealt with when received.

Hs
30.8.30

30/8

L. S.G. no 30935-1 Estt A
1-9-30

27240 E T
1.9.30

Fin. (E T)

[Previous Fin. note on pages 18-19 ante]

Please see para 3 of note on pages 18-19 ante. The A.G states that

A on P. 23 ante.

provision for pay etc. of the Staff should be made on the expenditure side of the budget and that the recovery from the municipality should be treated as a receipt. The proposal (which involves an ultimate extra cost of Rs 12,800 non-recurring) will have therefore to be referred to the Fin. Committee as already noted by this Dept. in para. 7 of Fin. I.O. Note 39456/B G.-Id 6.11.25. for introduction of schemes in the course of a year should be followed viz. the orders of the cabinet should be obtained after obtaining the advice of the Fin. Committee. If however, the case is considered so urgent that it cannot wait till the next meeting of the Fin. Committee, the orders of the cabinet may be obtained first, the matter being reported later to the Fin. Committee. Before doing so, L.S.G. will have to indicate the source from which the expenditure will be met.

2. The approximate cost of the drainage scheme for the whole Bellary municipality including the cantonment is Rs. 7.31 lakhs and the staff which is proposed to be sanctioned by L.S.G., was intended for the preparation of plans and estimates for the whole area. It has since been decided, however, to restrict the preparation

A on page 23 ante

para. 3 on pp. 18-19 ante and para. 3 on p. 37 of G.O. 622 Rev. 25.3.29 (K)

B

A on p. 19 ante

BB

?

X

× Draft order below

⊗ para. 4 on p. 2 of draft below.

pp. 1-8 C.F.

A on page 17 Draft order below

of plans and estimates for a portion of the Bellary municipality (Brucepeta) and the drainage scheme for this area costs Rs. 4·65 lakhs only. It seems therefore possible that the staff proposed to be sanctioned by L.S.G. or its period of employment can be reduced. L.S.G may be requested to consult the Sanitary Engineer on this point. If any reduction can be made, the recovery already made from the Municipality (Rs. 2800) may perhaps cover the cost of the staff as well as its leave and pension contribution. L.S.G. may be requested to consider this point also.

Draft order below
Para. 4 on p. 2 of draft below.
Page 8 C.F.

P.T.C.F.

3. The file may be returned to L.S.G. (P.H.) U.O.

DS
LSG (PH)

5.9.30

6.9.30

6/9/30
L.S.G. (P.H.)

Fin. U.O. 27240 E.T.-1
6.9.30

L.S.G. (P.H.)

SECRETARY TO GOVERNMENT
8 SEP 1930
LOCAL SELF GOVERNMENT DEPARTMENT

Please see the notes from p. 2 supra. As the Municipal Council Bellary wants that the drainage scheme should be prepared urgently, the staff may be sanctioned in the current year itself. The extra cost required can be met

33781

by reappropriation from savings available under S3 G. P. A.: ~~for Public Health purposes~~.

(vide - notes in the linked file)

2. As regards the point raised in para. 2 of the Finance Dept's note on pages 25-26 ante, a draft memo to the S.E. is submitted for approval. ~~After it is sent the file may be sent to the P.W.D. Deptt for comment.~~

Draft for approval

3. In para 3 of ~~their~~ note on page 18 ante the Finance Deptt have stated that recovery from the municipal Council should also provide for leave and pensionary contribution for the staff. This point has not been specifically put to the Council, but in view of the possibility that the whole staff asked for by the S.E may not be necessary it is perhaps unnecessary to make a reference on this point to the Council now. Further as the Council is very anxious to have the Scheme carried out early it is not likely to demur if it is asked to meet the additional liability. Draft memo

H. of E. is in favour

This may be done on receipt of S.E.'s reply for orders

PTO

As regards temporary staff, why
the contribution for pension &
gratuity ?

Please see F.R. 127 and the
Note thereunder. Even though the staff
is "temporary", persons in permanent
service may be posted for the temporary
duty and so there will be need for
pensionary contribution on their behalf.
If the staff employed consists solely of
temporary men then the pensionary
contributions may be waived under F.R. 127 (c)

Ref 18.9.30 KB

p 28 cf Letter no 3378/1 E&R dated 16.9.30
Mp 29-30 CF 36462 from the Sanitary no 618 dt 5.9.30
p 31 CF 36665 " " Civil Bellary no III-174 dt 24/9

This Sanitary Engineer
recommends in his general outlines a
p 29 CF Comprehensive Scheme has to be worked
out even for drawing up a portion of the

Scheme ~~be recommended that~~ the entire staff asked for ~~by them~~ may be employed. The Civil Bellary ~~requests~~ that early orders may be passed on the question. p 31 CF.

2. The Council ~~will have to be asked~~ now ~~to~~ but it will agree to ~~pay~~ the ~~half~~ and ~~provide~~ ~~half~~ of the special staff proposed to be employed. After ~~the approval is~~ obtained the sanction of the Cabinet will have to be obtained for employing the staff ~~during~~ this current year. vide para 3, p 27 ante. p 25 ante

3. The Finance Dept have stated that new schemes should be restricted to absolutely essential ones ~~and~~ but schemes which are absolutely necessary for the proper running of departments on their present level of activities. Though the employment of special staff will be technically a new item of expenditure, the amount is recoverable from the Council - The Council has already paid the amount. p 16 CF.

4. The Sanitary Engineer has stated that even though a staff may be sanctioned now the Scheme will not be ready until April 1932. The Scheme. p 25 CF.

will thereafter have to be approved by the Chief Engineer and sanctioned by the Government. The sanctioning of the Scheme does not commit Government to the payment of a grant or loan in any particular year. The Scheme is to be prepared and ~~the priority list adopted~~ so as to be executed in accordance with G.O. No 1117/P.W. dated 7.6.27. Under that G.O. if a local body wishes to undertake an instalment work in advance of any of the Schemes on the priority list of water supply and drainage Schemes it must be prepared to meet the entire cost from its own funds. No grant or loan will be given to it until the prior commitments of Government have been discharged. There is thus no objection to the special staff being sanctioned for the preparation of plans and estimates for the drainage scheme.

(L)

A draft memo to the Core Bellary is submitted for approval.

Qno

ks
6.x.30
pe
7/x

pzreg. [Memo No 36665-1 Ex. A. dated 9.x.30]

40 223 Fmce to Cene Bellary no 1744 of 24.x.20 · pr 33.34. 1264

The Council has agreed to pay the leave and pensionary contribution on account of the special staff to be employed for the preparation of plans and estimates for the drainage Scheme and requests that the work should be taken up as an urgent measure. It is for orders whether the special staff should be employed in the current year. p 34 ante.

(In a somewhat similar case (Cochin Drainage Scheme) the employment of a special staff for the preparation of plans and estimates has recently been approved by the Cabinet. 2/ The procedure to be adopted in case the special staff is to be employed in the current year is detailed in the Finance Dept note on page 25 ante. The Finance Committee has not yet been Constituted and after its Constitution it is not known when it is to meet. It is therefore for Consideration whether the orders of the Cabinet for the employment of the spl. staff may be obtained first. If so the orders of H.E. may be obtained for Cabinet Circulation. File sent to Pr. I. for use. Wait for constitution of Fin. Comm

Ks 31.x.20 Ks 31/x

The Finance Committee has been constituted. A draft note for that Committee is submitted for approval. It may be sent to Finance Dept for acceptance and for addl. steps note.

21/11 21/11

As the Fin. Committee will not meet until January, very little of the current financial year will be left by the time orders sanctioning the staff can be issued. In the circs. it will be better to obtain orders by Cabinet circulation now & to report the action taken to the Fin. Committee when it meets. Field work on a drainage scheme can only be done in the dry weather and if the field investigation is to be completed before the next rains, it should be started as early in January as possible.

The note below explains the proposal. HE's orders are solicited for Cabinet circulation.

24/11/30

⊛ Hay TT

24/11

M. 25/11/30

HE. Cabinet circulation

GJ 29.11.30

P.T.O.

Circulated

ICr
1/12

M1 [illegible] 4/12/30
M3 [illegible]
M2 PPD 3/12
3/12/30
C4 [illegible]
C3 [illegible]
C2 [illegible] 5-12-30.
C1
H.E. [illegible] 7.12.30

5/12/30

5
3/12
Box No
20

SECRETARY TO GOVT. 8 DEC 15. L.S.G. DEPT.

The Cabinet has approved the proposal to employ a temporary staff in the Sanitary Engineer's Office during the current year for the preparation of plans and estimates for the Bethany Drainage Scheme. The file may now be sent to P.W.D. for issue of orders.

KR
[illegible]
11/12

PWD Secy.

11/12

As in addition to according sanction to the employment of the staff, sanction has also to be accorded to the preparation of plans and estimates for the scheme, it seems more appropriate that the order on the case should be issued in L.S.G. If however it is considered that the order may be issued in this dept, the draft order put up below may be sent to L.S.G. for acceptance. The

L. Secy No 4223/E&A
11/12/30

23224/B
12 DEC 1930

P 1
5-30 pm

PB [illegible] matter

The matter will be reported to the Finance Committee after issue of the order. The cost of the staff during the current year will be about Rs 532 or Rs 622 according as a Supervisor on Rs 80/- or one on Rs 125/- is entertained. The Ch may be asked to suggest a reappropriation of funds to meet the cost if it cannot be met from the existing appropriation under "33- Public Health - Public Health Establishments - Sanitary Engr - Pay of Establt. - Voted." The draft proviso for this.

vide para 3 of B.S.'s note on p 23 ante

Rm 20/12. Except para 4 of the draft, which deals with sanitary Establt, the rest of it should appropriately issue in L.S.G. dept in this dept. In the order to be issued by L.S.G, they may say that separate orders would issue in P.W.D. in regard to sanitary Establt & we can then take further action to sanction the staff -

"The case may be referred to L.S.G with reference to above."

22/12

SECRETARY TO GOVERNMENT
23 DEC 1930
LOCAL SELF GOVERNMENT DEPARTMENT

P. W. & C. No. 23224. B. 10/-

52896

22.12.30

22/12/30

NS 23/12

22/12/30

L.S.G.(P.H.) Dept

Please see the P.W.D. Deptt. Note on pages 34 ante. The draft order already put up in that Deptt. may issue with the alterations indicated thereon (in pencil) thereon. It may be sent to Fin. Secy. for perusal before issue

23.12.30

Ks
7.1.31

7/1/31.

Fin. (E.T.) L.S.G. U.O. No. 5289 ET

5.1.31

[Finance last noted on pages 24-26 ante.]

ASST. SECRETARY TO GOVT.
5- JAN 1931
FINANCE DEPT.

Please see the orders of the Govt. on page 33 ante. The draft order below may be perused and the file returned.

L. S. G. (P.H.) U.O.

214 E.T.
5.1.31

Third Fin. (Exp.)
(Four Fin. Depts.)
7.1.31.

6.1.31
CME
7.1.31

7/1/31

L.S.G. (P.H.)

SECRETARY TO GOVERNMENT
9- JAN 1931
LOCAL SELF GOVERNMENT DEPARTMENT

Fin. U.O. 214 E.T.-1
00915
8-1-31

Se[illegible]11-5(b)—15,006—5-11-29.

29/10/26

Local Self Government(P.H)DEPARTMENT.

	Date.	Initials.
When received for Fair-copying.		
When copied ..		
When examined ..		
When signed ..		
When despatched ..		

Drainage--Bellary Municipality--Preparation of plans and estimates for the Brucepeta Scheme--ordered.

READ AGAIN G.O. No. ....., dated 19

" " " ..... " ..... 19.

READ ALSO:—

C.No. ..... From the Sany.Engineer ....., No. 675 G ....., dated 4-11-29. 19

	C.M.C. Bellary.		327	11-12-29
	Do.		42W	23-1-30
" "	" "	Sany.Engineer	" 72 G	" 10-2-30.
	C.M.C. Bellary.		—	31-3-30.
	Sany.Engineer		150 G.	24-3-30.
	C.M.C. Bellary.		174 W	17-5-30.
" " 23521	" "	Sany.Engineer	" 346 G	" 2-7-30
	" Sany.Engineer		518 G.	25-9-30
	" C.M.C. Bellary		174 W	23-10-30

ORDER.

No 49 PH dated 10-1-31 19

Mis.

The Sanitary Engineer to Government has reported that the approximate cost of a drainage scheme for the Bellary municipality, excluding the cantonment area, will be Rs. 7.31 lakhs to instal and Rs. 2,500/- annually to maintain. The Bellary Municipal Council, however, desires that a scheme for Brucepeta alone may be taken up at present and requests that the preparation of plans and estimates for this scheme may be ordered. The Sanitary Engineer has no objection to the proposal of the Council.

2. The approximate initial and annual maintenance charges for this scheme are estimated at Rs.4.65 lakhs and Rs.1,800/- respectively. The Council has agreed to employment of a special staff at a cost of Rs. 2,800 for the preparation of the

73

and estimates and has placed the necessary funds at the disposal of the Sanitary Engineer.

3. As the Government are satisfied that the Council can finance the scheme on the half grant and half loan principle, they are pleased to sanction the preparation of plans and estimates for the scheme subject to the condition that no part of the cost of the special staff to be employed for the purpose will be debited to Provincial funds.

4. The Government also sanction the employment of a special staff as detailed in the Sanitary Engineer's letter No.2415 M, dated 19-11-29 for the preparation of plans and estimates. The scheme will be included as the last item in the pricrity list maintained by the Government.

Dpd by Van / Post / Messenger

Dpr's initials

Date 12/1/3 192

The cost on account of the staff will be met in the first instance from the existing appropriation under 33-Public Health. Contribution on account of leave and pension will also be recovered from the Municipal Council under the rules. The sanction is registered as Provincial No. W of 1930-31 and classified as Establishment-Temporary.

To the C.M.C. Bellary.
" C.E. and R.B.
" ~~Sanitary Engineer.~~
" P.W.D. Department.

The Scheme will be assigned a place above the Hindupur water supply scheme in the priority list maintained by the Govt.

Separate orders will issue in the P.W.D. Dept sanctioning the employment of the Special establishment required for the preparation of plans and estimates

5/1/31.

74

Local Self Government(P.H)Department.

Note for the Finance Committee.

Scheme for introduction in the current year.

Subject.

Temporary staff--for preparation of plans and estimates for Bellary drainage.

Head of Account.	Item of expenditure.	Ultimate cost.	Cost in 1930-31.
		Rs.	Rs.
33.a. Public Health-Establishments-(iii) Sanitary Engineer.	1 Supervisor for 9 months on Rs.166/-p.m.	1494	498 (for 3 m.)
	1 draftsman " on 80/-	720	240
	2 Tracers " 4 months on 33/-	264.	198
Pay of establishments-voted.	1 typist " 2 months on 40/-	80	80
	T.A. Contingencies,etc.	242	80
		2,800	1,096

Note by the Administrative Department.

The Bellary Municipal Council desires that a drainage scheme for Brucepeta should be taken up urgently and has requested that the preparation of plans and estimates may be ordered. The Sanitary Engineer has no objection to the proposal of the Council, but has stated that without the special staff detailed above it will not be possible for him to take up the work in the immediate future. The Municipal Council has agreed to the employment of the staff for the preparation of plans and estimates and has placed the necessary funds at the disposal of the Sanitary Engineer. The Council has also agreed to pay ~~travelling~~ (on account of the staff) leave and pensionary contributions. No portion of the cost of this special staff is debitable to provincial funds. As the matter is urgent, it is proposed to sanction the employment of the temporary staff in the current year.

The Accountant-General has, however, stated that the staff should be considered as an addition to the regular establishment of the Sanitary Engineer and should be sanctioned by Government under Provincial Establishments--Temporary. Under F.R. 127 the gross sanctioned cost including contributions for leave and pension should be treated as recoveries from the local nody and credited to XXIII Public Health--collection of payments for services rendered.

The extra expenditure involved in the current year can be met by reappropriation from the savings under 33.b. Public Health- resumed and held in reserve by the FinanceDepartment.

24/11

24/11

Sectt. 11-5 (b)—15,006—5-11-29.

76

P.W & L DEPARTMENT.

	Date.	Initials.
When received for Fair-copying.		
When copied ..		
When examined ..		
When signed ..		
When despatched ..		

Establishment- Bellary Drainage scheme- preparation of plans and estimates by the Sany Engr-

READ AGAIN G.O. No. ....., dated ..... 19 .

" " " " ..... " ..... 19 .

READ ALSO:—

From the Sany.Engr 675 G 4-11-29

" C.M.C.Bellary 327 11-12-29

C. No. ..... From the ~~Sany.Engineer~~, No. ~~42-W~~ 72 G, dated ~~23-1-30~~ 10-2-30

" ~~Sany.Engineer~~ C.M.C.Bellary .. 31-3-30

" C.M.C.Bellary Sanitary Engr. 150 G 24-3-30

" Sanitary Engr. C.M.C.Bellary 174 GW 17-5-30

" " " " Sany Engineer " 346 G " 2-7-30

" Sany Engr 518 G 25-9-30

" ~~C.M.C.Bellary~~ ~~174 W~~ ~~23-10-30~~

" " " " C.M.C.Bellary " 174 W " 23-10-30 19

ORDER.

No. ..... , dated ..... 19 .

The Sanitary Engineer to Govt has reported that the approximate cost of a drainage scheme for the Bellary Municipality excluding the cantonment area, will be Rs.7.31 lakhs to instal and Rs.2,500 annually to maintain. The Bellary Municipal Council, however desires that a scheme for Ennicepeta alone may be taken up at present and requests that the preparation of plans and estimates for this scheme may be ordered. The Sanitary Engineer has no objection to the proposal of the Council. The approximate initial and annual maintenance charges for this scheme are estimated at Rs.4.65 lakhs and Rs.1,800 respectively. The Council has agreed to the employment of a special staff at a cost of Rs.2,800 for the preparation

preparation of plans and estimates and has placed the necessary funds at the disposal of the Sanitary Engineer.

3. As the Govt. are satisfied that the Council can finance the scheme on the half grant and half loan principle, they are pleased to sanction the preparation of plans and estimates for the scheme subject to the condition that no part of the cost of the special staff to be employed for the purpose will be debited to Provincial funds.

4. The Govt. also sanction the employment of the following special staff for the preparation of plans and estimates:

1 supervisor on Rs.80 or Rs.125 p.m. according to qualifications	for	9 months
1 draughtsman on Rs.80 p.m.	for	9 ,,
2 tracers on Rs.33 each p.m.	for	4 ,,
1 typist on Rs.30 p.m.	for	2 months

The cost on account of the staff together with the contribution for leave and pension under the rules and travelling allowance and other contingent expenditure should be recovered from the Municipal Council. Recovery on account of the supervisor will be made in accordance with G.O.No.2968-W, dated 21-10-29. The cost of the staff will be met ~~in the first instance~~ from the ~~existing~~ appropriation under "33 Public Health-Public Health establt.- Sanry. Engr.- Pay of establt.- Voto." The sanction is registered as Provincial No. W of 1930-31 and classified as Establishment Temporary.

5. The scheme will be included as the last site in the priority list maintained by the Govt.

To the C.M.C.Bellary
,, C.E Genl R & B.
,, L.S.G.Dept.
Copy to the Finance dept.